




PARTS INDEX

	PAGE
2095 - 2095S H-FRAME, YOKE, BUCKET	22
2090 - 2090S H-FRAME, YOKE, BUCKET	24
EZEE-A-TACH SYSTEM	25
HYDRAULIC SYSTEM	26
CYLINDER PARTS LIST	29
CYLINDER SEAL KITS	35

PAINT & DECALS

PART NO.	DESCRIPTION	QTY. REQ'D
DF13002	EZEE-ON DECAL - 2-1/2" x 15-1/2"	3
L014/L017	CAUTION DECAL	2
L015	BLACK PAINT - 1 QT. CAN	*
L016	BLACK PAINT - 1/2 PINT CAN	*


* as required



MODEL 2095-2095s LOADER PARTS LIST

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3557	2095S - 2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3558	2095S - 1 Yoke Assembly - Narrow Yoke c/w pins	1
	LB3505	2095 - 2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3506	2095 - 1 Yoke Assembly - Narrow Yoke c/w pins	1
2	LB3565	2095S Main Frame Assembly c/w pins	1
	LB3510	2095 Main Frame Assembly c/w pins	1
3	LB3418	60" Bucket Assembly c/w 4 pins (Std)	1
	LB3415	72" Bucket Assembly c/w 4 pins (Std)	1
	LB3416	8 4 Bucket Assembly c/w 4 pins (Std)	1
	---	For 96" Bucket see Ezee-A-Tach System on page 25 - order 96" Ezee-A-Tach Bucket and Carrier frame assembly	
Back of Bucket	L3419	Bucket Attaching Lug- Weld-On - Square Back Bucket - Order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and prior	4
Back of Bucket	L 3420	Bucket Attaching Lug- Weld-On - Slope Back Bucket - Order (2) 1 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used after 1996	4
4	L41	60" Bucket Blade - Weld-On	1
	L42	72" Bucket Blade - Weld-on	1
	L43	8 4 Bucket Blade - Weld-on	1
	L1638	96" Bucket Blade - Weld-on	1
5	L1680	Short Corner Bucket Tooth, used with Standard Teeth	as req'd
	L51	Short Corner Bucket Tooth, used with Extra Long Teeth	as req'd
6	L51	Bucket Tooth - Std	as req'd
	L43	Bucket Tooth - Extra Long	as req'd
7	LA2270	Outside Pivot Arm	2
8	L2271	Inside Pivot Arm	2
9	LA3211	Bucket Push Arm	2
10	LA3425	2095S Self-Levelling Arm Assembly	2
	LA3322	2095 Self-Levelling Arm Assembly	1
11	LA3429	Self-Levelling Pivot Bracket L.H. Side	1
	LA3430	Self-Levelling Pivot Bracket R.H. Side	1
12	LA3432	Rod - Bucket Level Indicator - 2095-2095S	1
13	LA2279	Indicator Only - Bucket Level Indicator - used 1997 and prior - order part nos. L3247 and L3246	1
14	L1785	1" x 5-1/2" Hex Head Pin - Yoke	6
15	L2266	1" x 5-1/2" Hex Head Pin	4
16	L2265	1" x 5-1/2" Hex Head Pin	2
17	L1587	1" x 6" Hex Bolt - Special Thread - Drilled for cotter - Used 1998 and prior	4
	L3222	1" x 6" N. C. Hex Bolt - Special Threaded - Used after 1998	4
18	L89	1" x 7" Hex Bolt - Drilled for cotter - Used 1998 and prior	2
	L3299	1" x 7" N. C. Hex Bolt - Special Threaded - Used after 1998	2
19	L1574	1" N. C. Slotted Hex Nut - Used 1998 and prior with drilled bolt - order part no. BN100SL	8
	BN100SL	1" N. C. Steel Locknut	8
20	L57	7/16" x 2-1/4" N. C. Carriage Bolts	16-20-22
21	---	7/16" N.C. Hex Nut	
22	---	7/16" Lockwashers	16-20-22
23	---	1/4" x 1-1/2" Cotter Pin	6
24	10GN1	1/4" - 28 Grease Fitting	18
25	---	3/8" x 1/2" N.C. Set Screw - used 1997 and prior	1
26	---	3/8" Flatwasher	1
27	---	5/32" x 3/4" Cotter Pin	1
28	L1640	Law Assembly - Weld-On	2
29	L 3247	318" Cable Clamp c/w nuts - used after 1997	1
30	L 3248	Indicator only - Bucket level indicator - used after 1997	1
31	L3426	1" x 6" N.C. Hex Bolt - Drilled for cotter and grease fitting - used 1998 and prior	2
	L3427	1" x 6" N.C. Hex Bolt - Drilled for grease fitting - used after 1998	2


** pin length measured from under head to centre of cotter pin hole



MODEL 2090S-2090 LOADER PARTS LIST


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3575	2090S - 4 Yoke Assembly - Super Wide Yoke c/w pins	1
	LB3576	2090S - 3 Yoke Assembly - Extra Wide Yoke c/w pins	1
	LB3577	2090S - 2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3578	2090S - 1 Yoke Assembly - Narrow Yoke c/w pins	1
	LB3515	2090 - 2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3517	2090 - 1 Yoke Assembly - Narrow Yoke c/w pins	1
2	LB3582	2090S Main Frame Assembly c/w pins	1
	LB3520	2090 Main Frame Assembly c/w pins	1
3	LB3452	60" Bucket Assembly c/w 4 pins (std)	1
	LB3453	72" Bucket Assembly c/w 4 pins (std)	1
	LB3454	84" Bucket Assembly c/w 4 pins (std)	1
	---	For 96" Bucket see Ezee-A-Tach System on page 25. order 96" Ezee-A-Tach Bucket and Carrier frame assembly	
Back of Bucket	L3457	Bucket Attaching Lug - Weld-On - Square Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and prior	4
Back of Bucket	L3458	Bucket Attaching Lug - Weld-On - Slope Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used after 1996	4
4	L41	60" Bucket Blade - Weld-On	1
	L42	72" Bucket Blade - Weld-On	1
	L43	84" Bucket Blade - Weld-On	1
	L1638	96" BUCKET BLADE (Weld-on)	1
5	L1680	Short Corner Bucket Tooth, used with Standard Teeth	as req'd
	L51	Short Corner Bucket Tooth, used with Extra Long Teeth	as req'd
6	L51	Bucket Tooth (Std)	as req'd
	L52	Bucket Tooth (Extra Long)	as req'd
7	LA3432	Rod - Bucket Level Indicator (2090S-2090)	1
8	LA2279	Indicator Only - Bucket Level Indicator - used 1997 and prior - order part nos. L3247 and L3248	1
9	L1785	1" x 5" ** Hex Head Pin - Yoke	6
10	L2266	1" x 5-1/2" ** Hex Head Pin	4
11	L57	7/16" x 2-1/2" N. C. Carriage Bolts	16-20-22
12	---	7/16 N.C. Hex Nut	
13	---	7/16 Lockwashers	16-20-22
14	---	1/4" x 1-1/2" Cotter Pin	6
15	10GN1	1/4" - 28 Grease Fitting	18
16	---	3/8" x 1/2" N.C. Set Screw - used 1997 and prior	1
17	---	3/8" Flatwasher	1
18	---	5/32" x 3/4" Cotter Pin	1
19	L1640	Jaw Assembly - Weld-On	2
20	L3247	3/8" Cable Clamp - used after 1997	1
21	L3248	Indicator Only - Bucket Level Indicator - used after 1997	1

** pin length measured from under head to centre of cotter pin hole




EZEE-A-TACH SYSTEM - (OPTIONAL)

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB2514	Model 2095-2095S Loader Ezee-A-Tach Carrier c/w attaching pins and locking pins	1
	LB2513	Model 2090-2090S Loader Ezee-A-Tach Carrier c/w attaching pins and locking pins	1
2	LA2508	Ezee-A-Tach Bracket - R.H. Side - Weld-On	1
	LA2509	Ezee-A-Tach Bracket - L.H. Side - Weld-On	1
3	LA2507	Locking Pin	2
4	L2510	Locking Pin Spring	2
5	L2511	Roll Pin	2
6	L2266	1" x 5-1/2" Hex Head Pin - pin lengths measured from under head to centre of cotter pin hole	4
7	---	11/4" x 1-11/2" Cotter Pin	4
8	---	5/8" x 4 N.C. Hex Bolt - Used 1998 and prior	1
	---	3/8" x 4" N.C. Hex Bolt - Used after 1998	1
9	---	5/8" N.C. Hex Nut - Used 1998 and prior	1
	---	3/8" N.C. Hex Nut - Used after 1998	1
10	---	5/8" Lockwasher - Used 1998 and prior	1
	---	3/8" Lockwasher - Used after 1998	1
11	LA2533	72" Ezee-A-Tach Bucket - Less Teeth	*
	LA2534	84" Ezee-A-Tach Bucket - Less Teeth	*
	LA2535	96 Ezee-A-Tach Bucket - Less Teeth	*
12	L2555	U-Bracket - weld-on	2




**MODEL 2090-2090S HYDRAULIC SYSTEM
(FOR MODELS PRIOR TO SERIAL NO. 45150)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	279, 313	Lift Cylinder - See Cylinder Parts List instructions on page 29	2
2	272, 285	Bucket Cylinder - 2090S-2090 - See Cylinder Parts List instructions on page 29	
3	L3434	Bottom 1 Hydraulic Oil Line	1
4	L3435	Bottom 2 Hydraulic Oil Line	1
5	L3436	Bottom 3 Hydraulic Oil Line	1
6	L3437	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	DL29	3/8" Female Swivel	2
10	L1619	3/8" Male-Female Swivel Adapter	2
11	DL9769	3/8" x 90 degree Swivel Street Elbow	4
12	L2927	3/8" x 28" Hydraulic Hose	2
13	L2930	3/8" x 31" Hydraulic Hose	2
14	L2973	3/8" x 34" Hydraulic Hose	2
15	L2912	3/8" x 60" Hydraulic Hose - Model 2090	2
	L3014	3/8" x 32" Hydraulic Hose - Model 2090S	2
16	L3015	3/8" x 71" Hydraulic Hose - Model 2090	2
	L3016	3/8" x 63" Hydraulic Hose - Model 2090S	2



**MODEL 2090-2090S HYDRAULIC PARTS LIST
(FOR MODELS WITH SERIAL NO #45150 & UP)**

REF. NO.	PART. NO.	DESCRIPTION	QN. REQ'D
1	313	Lift Cylinder - See Cylinder Parts List instructions on page 29	2
2	310	Bucket Cylinder - (2090S-2090) See Cylinder Parts List instructions on page 29	2
3	L3434	Bottom 1 Hydraulic Oil Line	1
4	L3435	Bottom 2 Hydraulic Oil Line	1
5	L3436	Bottom 3 Hydraulic Oil Line	1
6	L3437	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	L1619	3/8" Male-Female Swivel Adapter	2
10	DL9769	3/8" x 90 degree Swivel Street Elbow	4
11	L2927	3/8" x 28" Hydraulic Hose (Model 2090S-2090)	2
12	L2930	3/8" x 31" Hydraulic Hose (Model 2090S-2090)	2
13	L2945	3/8" x 48" Hydraulic Hose (Model 2090S-2090)	2
14	L2912	3/8" x 60" Hydraulic Hose (Model 2090)	2
	L3014	3/8" x 32" Hydraulic Hose (Model 2090S)	2
15	L3015	318" x 71" Hydraulic Hose (Model 2090)	2
	L3016	3/8" x 63" Hydraulic Hose (Model 2090S)	2



MODEL 2095-2095S HYDRAULIC PARTS LIST

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	279, 313	Lift Cylinder - See Cylinder Parts List instructions on page 29	2
2	280	Bucket Cylinder - (2095S-2095) See Cylinder Parts List instructions on page 29	2
3	L3434	Bottom 1 Hydraulic Oil Line	1
4	L3435	Bottom 2 Hydraulic Oil Line	1
5	L3436	Bottom 3 Hydraulic Oil Line	1
6	L3437	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 318" Tee	4
9	DL9769	3/8" x 90 degree Swivel Street Elbow	4
10	DL5284	3/8" x 90 degree Swivel Elbow - (Female - Female)	2
11	L2927	3/8" x 28" Hydraulic Hose	2
12	L2930	3/8" x 31" Hydraulic Hose	2
13	L2912	3/8" x 60 Hydraulic Hose (Model 2095)	2
	L3014	318" x 32" Hydraulic Hose (Model 2095S)	2
14	L3015	3/8" x 71" Hydraulic Hose (Model 2095)	2
	L3016	3/8" x 63" Hydraulic Hose (Model 2095S)	2

EZEE-ON LOADER CYLINDER PARTS LIST

1. Identify cylinder code number by matching up diameter, stroke, application and type from list below.
2. Once the code number has been established then locate cylinder parts list further in book and use correct reference number and cylinder code column to locate part number.

EZEE-ON CYLINDER PART NUMBER CODE

10 WS 1


Part Number

Part Description, Wiper Seal Kit

10 - Means Fits Many Sizes of Cylinders
 30 - Means Used Most Commonly on 3" Cylinders

MODEL 2090S-2095S-2090-2095 CYLINDER SPECIFICATIONS


CODE	DIAMETER	STROKE	C-C LENGTH	SHAFT DIAMETER	TYPE	APPLICATION	PARTS LIST PAGE NUMBER
272	3"	18"	26-1/2"	1-1/2"	N4 w/oil line port	Bucket - 2090-2090S	30
285	3"	18	26-1/2"	1-1/2"	N6 w/oil line port & 1-1/2" O.D. cross tube	Bucket - 2090-2090S	32
280	3"	19-1/2"	33-1/8"	1-1/2"	N4	Bucket - 2095-2095s	31
279	3"	27"	35-1/2"	1-1/2"	N4	Lift	34
313	3"	27"	35-1/2"	1-1/2"	N6	Lift	33
310	3"	18"	26-1/2"	1-1/2"	N6 w/90 deg. port	Bucket - 2090-2090S	32
	3"	18"	26-1/2"	1-1/2"	N6 w/oil line port & 1-3/4" O.D. cross tube	Bucket - 2090-2090s	



**HYDRAULIC BUCKET CYLINDER - Model 2090-2090S
N6 TYPE (W/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO# from 41251 to 43155)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			285
1	30TU28	Tube Assembly - 3" x 18" - w/oil Line Port & 1-1/2" O.D. Cross Tube	1
2	10SH14	Shaft- 1-112" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-112" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 318"	1
12	10WS1	Wiper Seal - 1-112" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 37 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - Model 2095-2095S
N6 TYPE (W/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO. From 43156 to 45146)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			315
1	30TU35	Tube Assembly - 3" x 18" - w/oil line 1-3/4" O.D. Cross tube	1
2	10SH14	Shaft - 1-112" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP14	Head Plate - 1-112" Shaft w/Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-112" I.D. x 1-314" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-112" I.D. x 2-1/8" O.D. x 3/16	1
13	10GN1	11/4" - 28 Grease Fitting	2


Refer to illustrations on page 37 to help determine cylinder type.



HYDRAULIC LIFT CYLINDER - N4 TYPE W/OIL LINE PORT
MODEL 2090-2090S
(FOR MODELS PRIOR TO SERIAL NO. 40135)

REF NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			272
1	30TU10	Tube Assembly - 3" x 18"	1
2	10SH14	Shaft - 1-1/2" x 18 w/ 1" Stub	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cup - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP9	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - N4 type	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 37 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - N4 TYPE
MODEL 2095-2095S**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			280
1	30TU25	Tube Assembly - 3" x 19-1/2" (2095-2095S)	1
2	10SH43	Shaft - 1-1/2" x 19-112" w/ 1" Stub (2095-2095S)	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10MU4	1" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP9	Head Plate - 1-112" Shaft w/ Wear Ring Groove- (N4 Type)	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustration on page 37 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - MODEL 2090-2090S
w/90 DEGREE PORT
(FOR MODELS WITH SERIAL NO. 40135 & UP)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			310
1	30TU36	Tube Assembly - 3" x 18" - N6 Type w/90 deg. Port	1
2	10SH14	Shaft - 1-1/2" x 18" - w/1" Stub	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	100R3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	114" - 28 Grease Fitting	2


Refer to illustration on page 37 to help determine cylinder type.



**HYDRAULIC LIFT CYLINDER - N6 TYPE
MODEL 2090-2095 SERIES
(FOR MODELS WITH SERIAL NO. 40707 & UP)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			313
1	30TU35	Tube Assembly - 3" x 27" - N6 Type	1
2	10SH9	Shaft - 1-1/2" x 27" - w/3/4" Stub	1
3	100R9	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU5	3/4" N.F. Locking Nut	1
8	100R3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - 3" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16	1
13	10GN1	1/4" - 28 Grease Fitting	2

Refer to illustration on page 37 to help determine cylinder type.



HYDRAULIC LIFT CYLINDER - N4 TYPE
MODEL 2090-2095
(FOR MODELS PRIOR TO SERIAL NO. 40707)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			279
1	30TU35	Tube Assembly - 3" x 27" - N4 Type	1
2	10SH14	Shaft - 1-11/2" x 27" - w/3/4" Stub	1
3	100R9	O-Ring - 3/4" I.D. x 7/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10MN5	3/4" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - N4 Type	1
10	10WR1	Head Plate Wear Ring - 1-11/2" I.D. x 1-3/4" O.D. x 1"	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2

Refer to illustration on page 37 to help determine cylinder type.

EZEE-ON CYLINDER REPAIR SEAL KIT CODES

CODE 30 = 3" BORE

PART NO. 3015HR - ~~114~~

N4 - Thread Type Head

HR = Wear Ring in Head and Piston

15 = 1-1/2" Shaft

CYLINDER SEAL KITS

KIT NO.	CONTENTS			FITS CYLINDER CODE NO.
3015HR-N4-P	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	272
	1 -	10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	279
	1 -	10WR1	1-1/2" I.D. x 1-7/8" O.D. x 3/16 Wiper Seal	280
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	
	1 -	10WR1	1-11/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	
	1 -	100R27	2-5/8" I.D. x 3" O.D. 0-Ring - 90 Durometer	
	1 -	100R21	1" I.D. x 1-1/8" O.D. 0-Ring	
	1 -	100R9	3/4" I.D. x 7/8" O.D. 0-Ring	
3015HR-N6	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	310
	1 -	10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	313
	1 -	10WS1	1-11/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal	
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	
	1 -	10WR1	1-11/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	
	1 -	100R3	2-5/8" I.D. x 3" O.D. 0-Ring	
	1 -	100R21	1" I.D. x 1-1/8" O.D. 0-Ring	
	1 -	100R9	3/4" I.D. x 7/8" O.D. 0-Ring	

HEAD TYPE IDENTIFICATION

