


MODEL 2100-2135 PARTS INDEX

	PAGE
H-Frame, Yoke & Bucket - 2105-2135	20
H-Frame, Yoke & Bucket - 2100 - 2130	21
Hydraulic System	22
Ezee-A-Tach System	26
Lift & Bucket Cylinders	27
Cylinder Seal Kits	37

PAINT & DECALS

PART NO.	DESCRIPTION	QTY. REQ'D
DF13002	Ezee-On Decal - 2-1/2" x 15-1/2"	3
A75764	Read Manual Decal - 2-5/16" x 4-1/2"	1
L3216	Falling Load Decal - 5" x 4-1/4"	3
L3242	2100 Decal - 1-5/8" x 7-7/16"	3
L3243	2105 Decal - 1-5/8" x 7-7/16"	3
L3145	2130 Decal - 1-5/8" x 7-7/16"	3
L3146	2135 Decal - 1-5/8" x 7-7/16"	3
L014/L017	Caution Decal	3
L015	Black Paint - 1 Qt. Can	*
L016	Black Paint - 1/2 Pint Can	*

* As Required




MODEL 2105-2135 LOADER
MODEL 2105-2135 H-FRAME, YOKE & BUCKET

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3240	2105 Yoke Assembly - Wide Yoke c/w Pins	1
	LB3238	2105 Yoke Assembly - Narrow Yoke c/w Pins	1
	LB3137	2105 Yoke Assembly - Wide Head Light Type c/w Pins	1
	LB3130	2105 Yoke Assembly - Narrow Head Light Type c/w Pins	1
	LB3131	2135 Yoke Assembly - Wide Yoke c/w Pins	1
	LB3129	2135 Yoke Assembly - Narrow Yoke c/w Pins	1
	LB3133	2135 Yoke Assembly - Wide Head Light Type c/w Pins	1
	LB3134	2135 Yoke Assembly - Narrow Head Light Type c/w Pins	1
2	LB3228	2105 Main Frame Assembly c/w Pins	1
	LB3118	2135 Main Frame Assembly c/w Pins	1
3	LB2245	72" Bucket Assembly c/w 4 Pins (Std)	1
	LB2255	84" Bucket Assembly c/w 4 Pins (Std)	1
	LB2260	96" Bucket Assembly c/w 4 Pins (Std)	1
Back of Bucket	L2246	Bucket Attaching Lug (Weld-On) - Square Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and prior	4
Back of Bucket	L3246	Bucket Attaching Lug (Weld-On) - Slope Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and later	4
4	L42	72" Bucket Blade (Weld-On)	1
	L43	84" Bucket Blade (Weld-On)	1
	L1638	96" Bucket Blade (Weld-On)	1
5	L1680	Short Corner Bucket Tooth, Used with Standard Teeth	*
	L51	Short Corner Bucket Tooth, Used with Extra Long Teeth	*
6	L51	Bucket Tooth (Std)	*
	L52	Bucket Tooth (Extra Long)	2
7	LA2270	Outside Pivot Arm	2
8	L2271	Inside Pivot Arm	2
9	LA3215	Bucket Push Arm	2
10	LA3212	Self-levelling Arm Assembly	1
11	LA3111	Self-levelling Pivot Bracket L.H. Side	1
	LA3112	Self-levelling Pivot Bracket R.H. Side	1
12	LA3154	Rod - Bucket Level Indicator (2135-2105)	1
13	L3248	Indicator Plate Only - Bucket Level Indicator	1
14	L3247	Cable Clamp Only c/w Nuts - Bucket Level Indicator	2
15	L1640	Rear Jaw Assembly (Weld-On)	4
16	L3150	1-1/4" x 5-5/16"*** Hex. Head Pin - Yoke	2
17	L3152	1-1/4" x 5-1/2"*** Hex. Head Pin - H-Frame	6
18	L2266	1" x 5-1/2" ** Hex. Head Pin - Bucket	1
19	DR5260	1/4" - 28 x 45 degree grease fitting	4
20	L2244	1" x 6-1/2" N.C. Hex. Bolt - drilled for cotter pin - used 1998 and prior	4
	L3298	1" x 6-1/2" N.C. Hex Bolt - special thread length - used after 1998	2
21	L1587	1" x 6" Hex. Bolt - drilled for cotter pin - used 1998 and prior	2
	L3222	1" x 6" N.C. Hex Bolt - special thread length - used after 1998	2
22	L2460	1" x 6-1/2" N.C. Hex. Bolt - drilled for grease fittings & cotter pin - used 1998 and prior	2
	L3217	1" x 6-1/2" N.C. Hex. Bolt - drilled for grease fitting - used after 1998	2
23	L89	1" x 7" N.C. Hex. Bolt - drilled for cotter pin - used 1998 and prior	2
	L3299	1" x 7" N.C. Hex. Bolt - special thread length - used after 1998	10
24	L1574	1" N.C. Slotted Hex Nut - used 1998 and prior	10
	BN100SL	1" N.C. Hex Steel Locknut - used after 1998	16-20-22
25	L57	7/16" x 2-1/4" N.C. Carriage Bolts	16-20-22
26		7/16" N.C. Hex. Nut	16-20-22
27		7/16" Lockwashers	4
28		1/4" x 1-1/2" Cotter Pin	18
29		5/16" x 1-3/4" Cotter Pin	2
30	10GN1	1/4" - 28 Grease Fitting	1
31		3/8" I.D. Flatwasher	1
32		5/32 x 3/4" Cotter Pin	1
33	LA2279	Order Ref. No. # 13 & #14	1
34		3/8" x 1/2" N.C. Set Screw - used 1995 and prior	1
35		3/16" x 1-1/2" Cotter Pin - used 1998 and prior	1
36		5/32" x 3/4" Cotter Pin	2
37	L1526	Front Jaw - weld-on	

* As Required

** Pin length measured from under head to centre of cotter pin hole




MODEL 2100-2130 H-FRAME, YOKE & BUCKET

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3234	2100 Yoke Assembly, Wide Yoke c/w Pins	1
	LB3232	2100 Yoke Assembly, Narrow Yoke c/w Pins	1
	LB3127	2130 Yoke Assembly, Wide Yoke c/w Pins	1
	LB3125	2130 Yoke Assembly, Narrow Yoke c/w Pins	1
2	LB3225	2100 Main Frame Assembly c/w Pins	1
	LB3115	2130 Main Frame Assembly c/w Pins	1
3	LB3260	72" Bucket Assembly c/w 4 Pins	1
	LB3262	84" Bucket Assembly c/w 4 Pins	1
	LB3264	96" Bucket Assembly c/w 4 Pins	1
Back of Bucket	L3122	Bucket Attaching Lug (Weld-On) - Square Back Bucket - order 1/2" x 2" round hole washer #L2264 or 1/2" x 2" hex. hole washer #L2263 - used 1996 and prior	4
Back of Bucket	L3165	Bucket Attaching Lug (Weld-on) - Slope Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washer #L2263 - used 1996 and later	4
4	L42	72" Bucket Blade (Weld-On)	1
	L43	84" Bucket Blade (Weld-On)	1
	L1638	96" Bucket Blade (Weld-On)	1
5	L1680	Short Corner Bucket Tooth, Used with Standard Tooth	*
	L51	Short Corner Bucket Tooth, Used with Extra Long Tooth	*
6	L51	Bucket Tooth (Standard)	*
	L52	Bucket Tooth (Extra Long)	*
7	LA2461	Rod Only - Bucket Level Indicator (2100)	1
	LA3154	Rod Only - Bucket Level Indicator (2130)	1
8	L3248	Indicator Plate Only - Bucket Level Indicator	1
9	L3247	Cable Clamp Only c/w Nuts - Bucket Level Indicator	1
10	L1640	Rear Jaw Assembly - Weld-On	2
11	L3152	1-1/4" x 5-1/2"*** Hex. Head Pin - H-Frame	2
12	L3150	1-1/4" x 5-5/16"*** Hex. Head Pin - Yoke	4
13	L2266	1" x 5-1/2"*** Hex. Head Pin - Bucket	4
14	L57	7/16" x 2-1/2" N.C. Carriage Bolt	16-20-22
15		7/16" N.C. Hex. Nut	16-20-22
16		7/16" Lockwashers	16-20-22
17		3/8" I.D. Flatwasher	1
18		5/32" x 3/4" Cotter Pin	1
19		1/4" x 1-1/2" Cotter Pin	6
20		1/4" x 2" Cotter Pin	6
21	10GN1	1/4" - 28 Grease Fitting (Not Shown)	4
22	LA2279	Bucket Dump Guide Indicator (Order Part No. L3247 & L3248)	1
23		3/8" x 1/2" N.C. Set Screw (Used 1995 And Prior)	1
24	L1526	Front Yoke Jaw - Weld-On	2
25	L2265	1" x 5-1/4"*** Hex Head Pin - H-Frame	2


* As Required

** Pins measured from under head to centre of cotter pin hole.




**MODEL 2100-2130 HYDRAULIC SYSTEM
(FOR MODELS PRIOR TO SERIAL NO. 45146)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	275, 276, 277, 278 286, 289 290, 291	Lift Cylinder - See Cylinder Parts List Instructions on Page 27	2
2	272, 285, 315	Bucket Cylinder - See Cylinder Parts List Instructions on Page 27	2
3	L3285	Bottom 1 Hydraulic Oil Line	1
4	L3286	Bottom 2 Hydraulic Oil Line	1
5	L3287	Bottom 3 Hydraulic Oil Line	1
6	L3288	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	DL29	3/8" Female Swivel	2
10	L1619	3/8" Male-Female Swivel	2
11	DL9769	3/8" x 90 Degree Swivel Street Elbow	4
12	L2910	Hydraulic Hose - 3/8" x 42" - Model 2100	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2130	2
13	L3012	Hydraulic Hose - 3/8" x 74" - Model 2100	2
	L3013	Hydraulic Hose - 3/8" x 78" - Model 2130	2
14	L3014	Hydraulic Hose - 3/8" x 32" - Model 2100	2
	L2986	Hydraulic Hose - 3/8" x 37" - Model 2130	2
15	L2907	Hydraulic Hose - 3/8" x 36" - Model 2100	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2130	2




**MODEL 2100-2130 HYDRAULIC SYSTEM
(FOR MODELS WITH SERIAL NO. 45146 & UP)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	286, 289 290, 291	Lift Cylinder - See Cylinder Parts List Instructions on Page 27	2
2	310	Bucket Cylinder - See Cylinder Parts List Instructions on Page 27	2
3	L3285	Bottom 1 Hydraulic Oil Line	1
4	L3286	Bottom 2 Hydraulic Oil Line	1
5	L3287	Bottom 3 Hydraulic Oil Line	1
6	L3288	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	L16 19	3/8" Male-Female Swivel	4
10	DL9769	3/8" x 90 Degree Swivel Street Elbow	2
11	L2910	Hydraulic Hose - 3/8" x 42" - Model 2100	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2130	2
12	L3012	Hydraulic Hose - 3/8" x 74" - Model 2100	2
	L3013	Hydraulic Hose - 3/8" x 78" - Model 2130	2
13	L4345	Hydraulic Hose - 3/8" x 51" - Model 2100	2
	L4346	Hydraulic Hose - 3/8" x 55" - Model 2130	2
14	L2909	Hydraulic Hose - 3/8" x 36" - Model 2100	2
	L2907	Hydraulic Hose - 3/8" x 40" - Model 2130	2




MODEL 2105-2135 HYDRAULIC SYSTEM
(For Model 2135 Prior to S/N 47587)

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	275, 276 277, 278 286, 289 290, 291	Lift Cylinder - See Cylinder Parts List Instructions on Page 27	2
2	273, 274 287, 288	Bucket Cylinder - See Cylinder Parts List Instructions on Page 27	2
3	L3285	Bottom 1 Hydraulic Oil Line	1
4	L3286	Bottom 2 Hydraulic Oil Line	1
5	L3287	Bottom 3 Hydraulic Oil Line	1
6	L3288	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	DL29	3/8" Female Swivel	2
10	L1619	3/8" Male-Female Swivel	2
11	DL9769	3/8" x 90 Degree Swivel Street Elbow	4
12	L2910	Hydraulic Hose - 3/8" x 42" - Model 2105	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2135	2
13	L3012	Hydraulic Hose - 3/8" x 74" - Model 2105	2
	L3013	Hydraulic Hose - 3/8" x 78" - Model 2135	2
14	L3014	Hydraulic Hose - 3/8" x 32" - Model 2105	2
	L2986	Hydraulic Hose - 3/8" x 37" - Model 2135	2
15	L2907	Hydraulic Hose - 3/8" x 36" - Model 2105	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2135	2



**MODEL 2105-2135 HYDRAULIC SYSTEM
(FOR SERIAL NOS. 47587 AND UP)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	289, 291	Lift Cylinder - See Cylinder Parts List Instructions on Page 27	2
2	323	Bucket Cylinder - See Cylinder Parts List Instructions on Page 27	2
3	L3285	Bottom 1 Hydraulic Oil Line	1
4	L3286	Bottom 2 Hydraulic Oil Line	1
5	L3287	Bottom 3 Hydraulic Oil Line	1
6	L3288	Bottom 4 Hydraulic Oil Line	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	L1619	3/8" Male-Female Swivel	4
10	DL9769	3/8" x 90 Degree Swivel Street Elbow	4
11	L2910	Hydraulic Hose - 3/8" x 42" - Model 2105	2
	L2909	Hydraulic Hose - 3/8" x 40" - Model 2135	2
12	L3012	Hydraulic Hose - 3/8" x 74" - Model 2105	2
	L3013	Hydraulic Hose - 3/8" x 78" - Model 2135	2
13	L3014	Hydraulic Hose - 3/8" x 32" - Model 2105	2
	L2986	Hydraulic Hose - 3/8" x 37" - Model 2135	2
14	L2911	Hydraulic Hose - 3/8" x 54" - Model 2105	2
	L4348	Hydraulic Hose - 3/8" x 48" - Model 2135	2



EZEE-A-TACH SYSTEM (Optional)


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LA2514 LA2513	L.H. Half - 2105-2135 Carrier Frame L.H. Half - 2100-2130 Carrier Frame	1 1
2	LA2526 LA2527	R.H. Half - 2105-2135 Carrier Frame R.H. Half - 2100-2130 Carrier Frame	1 1
3	LA2508 LA2509	Ezee-A-Tach Bracket - R.H. Side Ezee-A-Tach Bracket - L.H. Side	1 1
4	LA2507	Locking Pin	2
5	L2510	Locking Pin Spring	2
6	L2511	Roll Pin - 1/4" x 2"	2
7	L2266	1" x 5-1/2" Hex. Head Pin - pin lengths measured from under head to centre of cotter pin hole	*
8		1/4" x 1-1/2" Cotter Pin	4
9		5/8" x 4" N.C. Hex. Bolt - Used 1998 and Prior	1
		3/8" x 4" N.C. Hex Bolt - Used After 1998	1
10		5/8" N.C. Hex. Nut - Used 1998 and Prior	1
		3/8" N.C. Hex Nut - Used After 1998	1
11		5/8" Lockwasher - Used 1998 and Prior	1
		3/8" Lockwasher - - Used After 1998	1
12	LA2533 LA2534 LA2535	72" Ezee-A-Tach Bucket - Less Teeth 84" Ezee-A-Tach Bucket - Less Teeth 96" Ezee-A-Tach Bucket - Less Teeth	* * *
—	LB2514	Carrier Assembly c/w all pins - includes ref. no 1, 2, 4, 5, 6, 7, 8, 9, 10, and 11 - 2105-2135	1
—	LB2513	Carrier Assembly c/w all pins - includes ref. no 1, 2, 4, 5, 6, 7, 8, 9, 10, and 11 - 2100-2130	1

* As Required

EZEE-ON LOADER CYLINDER PARTS LIST

1. Identify cylinder code number by matching up diameter, stroke, application and type from list below.
2. Once the code number has been established then locate cylinder parts list further in book and use correct reference number and column to locate part number.


EZEE-ON CYLINDER PART NUMBER CODE



MODEL 2100-2105-2130-2135 CYLINDER SPECIFICATIONS

CODE	DIAMETER	STROKE	C-C LENGTH	SHAFT DIAMETER	TYPE	APPLICATION	PARTS LIST PAGE NO.
272	3"	18"	26-1/2"	1-1/2"	N4 w/oil line port	Bucket - 2100-2130	29
273	3"	20-3/4"	46-3/8"	1-1/2"	N4	Bucket - 2105	30
274	3"	20-3/4"	53-1/4"	1-1/2"	N4	Bucket - 2135	30
275	3"	27"	35-7/8"	1-1/2"	N4	Lift - 2100-2105	28
276	3"	32"	40-7/8"	1-3/4"	N4	Lift - 2130-2135	28
277	3-1/2"	27"	35-7/8"	1-3/4"	N4	Lift - 2100-2105	28
278	3-1/2"	32"	40-7/8"	1-3/4"	N4	Lift - 2130-2135	28
285	3"	18"	26-1/2"	1-1/2"	N6 w/oil line port & 1-1/2" o.d. cross tube	Bucket - 2100-2130	32
286	3"	27"	35-7/8"	1-1/2"	N6	Lift - 2100-2105	31
287	3"	20-3/4"	46-3/8"	1-1/2"	N6	Bucket - 2105	35
288	3"	20-3/4"	53-1/4"	1-1/2"	N6	Bucket - 2135	35
289	3"	32"	40-7/8"	1-3/4"	N6	Lift - 2130-2135	31
290	3-1/2"	27"	35-7/8"	1-3/4"	N6	Lift - 2100-2105	31
291	3-1/2"	32"	40-7/8"	1-3/4"	N6	Lift - 2130-2135	31
310	3"	18"	26-1/2"	1-1/2"	N6 w/90 deg. port & 1-3/4" o.d. cross tube	Bucket - 2100-2130	31
315	3"	18"	26-1/2"	1-1/2"	N6 w/oil line port & 1-3/4" o.d. cross tube	Bucket - 2100-2130	33
323	3"	20-3/4"	53-1/4"	1-1/2"	N6 w/90 degree port	Bucket 2135	36


* See illustrations on page 36 to help determine cylinder type.



**HYDRAULIC LIFT CYLINDER - N4 TYPE
(FOR MODELS PRIOR TO SERIAL NO. 40330)**

REF NO.	PART NO.	DESCRIPTION	CYLINDER CODE			
			275	276	277	278
1	30TU21	Tube Assembly - 3" x 27" - 2105-2100 - order tube #30TU27 c/w head plate #30HP11	1	-	-	-
	30TU22	Tube Assembly - 3" x 32" - 2135-2130 - order tube #30TU33 c/w head plate #30HP12	-	1	-	-
	35TU11	Tube Assembly - 3-1/2" x 27" - 2105-2100 - order tube #35TU13 c/w head plate #35HP8	-	-	1	-
	35TU12	Tube Assembly - 3-1/2" x 32" - 2135-2130 - order tube #35TU14 c/w head plate #35HP8	-	-	-	1
2	10SH53	Shaft - 1-1/2" x 27" (w/1" Stub)	1	-	-	-
	10SH54	Shaft - 1-3/4" x 27" (w/1" Stub)	-	-	1	1
	10SH55	Shaft - 1-3/4" x 32" (w/1" Stub)	-	1	-	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1	1	1	-
4	30CU2	U-Cup - 2-1/2" I.D. x 3" O.D. x 3/8"	2	2	-	2
	35CU2	U-Cup - 3" I.D. x 3-1/2" O.D. x 3/8"	-	-	2	-
5	30PB2	Piston Block - 3"	1	1	-	1
	35PB7	Piston Block - 3-1/2"	-	-	1	-
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8" Wide	1	1	-	1
	35WR1	3-1/2" Wear Ring - 3-1/2" I.D. x 3-1/2" O.D. x 1/2" Wide	-	-	1	1
7	10NU4	1" N.F. Locking Nut	1	1	1	-
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 deg. Durometer	1	1	-	1
	100R24	O-Ring - 3-1/8" I.D. x 3-1/2" O.D. - 90 deg. Durometer.	-	-	1	-
9	30HP9	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - (N4 Type)	1	-	-	1
	30HP10	Head Plate - 1-3/4" Shaft w/Wear Ring Groove - (N4 Type)	-	1	-	-
	35HP8	Head Plate - 1-3/4" Shaft w/Wear Ring Groove - (N4 Type)	-	-	1	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1	-	-	1
	10WR2	Head Plate Wear Ring - 1-3/4" I.D. x 2" O.D. x 1" Wide	-	1	1	-
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1	-	-	1
	10RS3	Rod Seal - 1-3/4" I.D. x 2-1/8" O.D. x 3/8"	-	1	1	2
12	10WR1	Wiper Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/16"	1	-	-	-
	10WR2	Wiper Seal - 1-3/4" I.D. x 2-1/8" O.D. x 3/16"	-	1	1	-
13	10GN1	1/4" - 28 Grease Fitting	2	2	2	-


Refer to illustrations on page 38 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - Model 2100-2130
N4 TYPE (W/OIL LINE PORT)
(FOR MODELS PRIOR TO SERIAL NO. 41250)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			272
1	30TU10	Tube Assembly - 3" x 18" - 2100-2130	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stud	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Long Nut	1
8	10OR27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 deg. Durometer	1
9	30HP9	Head Plate - 1-1/2" Shaft w/Wear Ring Groove (N4 Type)	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 38 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - MODEL 2105-2135
N4 TYPE
(FOR MODELS PRIOR TO SERIAL #40135)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE	
			273	274
1	30TU23 30TU24	Tube Assembly - 3" x 20-3/4" - 2105 - order tube #30TU29 c/w head plate #30HP11 Tube Assembly - 3" x 20-3/4" - 2135 - order tube #30TU30 c/w head plate #30HP11	1 -	- 1
2	10SH43	Shaft - 1-1/2" x 24-1/2" Shaft	1	1
3	10OR21	O-Ring - 1" I.D. x 1-1/3" O.D.	1	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2	2
5	30PB2	Piston Block - 3"	1	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1	1
7	10NU4	1" N.F. Locking Nut	1	1
8	10OR27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 deg. Durometer	1	1
9	30HP9	Head Plate - 1-1/2" Shaft w/Wear Ring Groove (N4 Type)	1	1
10	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1	1
11	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1	1
13	10GN1	1/4" - 28 Grease Fitting	2	2


Refer to illustrations on page 38 to help determine cylinder type.



**HYDRAULIC LIFT CYLINDER - MODEL 2100-2105-2130-2135
N6 TYPE
(FOR MODELS WITH SERIAL NO # 40330 & UP)**

REF NO.	PART NO.	DESCRIPTION	CYLINDER CODE			
			286	289	290	291
1	30TU27 30TU33 35TU13 35TU14	Tube Assembly - 3" x 27" - 2105-2100 Tube Assembly - 3" x 32" - 2135-2130 Tube Assembly - 3-1/2" x 27" - 2105-2100 Tube Assembly - 3-1/2" x 32" - 2135-2130	1 - - -	- 1 - -	- - 1 -	- - - 1
2	10SH53 10SH54 10SH55	Shaft - 1-1/2" x 27" w/1" Stub Shaft - 1-3/4" x 27" w/1" Stub Shaft - 1-3/4" x 32" w/1" Stub	1 - -	- 1 -	- - 1	- - 1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	-	-	-	-
4	30CU2 35CU2	U-Cup - 2-1/2" I.D. x 3" O.D. x 3/8" U-Cup - 3" I.D. x 3-1/2" O.D. x 3/8"	1 2	1 2	1 2	1 2
5	C0PB2 35PB7	Piston Block - 3" Piston Block - 3-1/2"	1 -	1 -	- 1	- 1
6	30WR1 35WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8" Wide 3-1/2" Wear Ring - 3-1/2" I.D. x 3-1/2" O.D. x 1/2" Wide	1 -	1 -	1 -	1 -
7	10NU4	1" N.F. Locking Nut	-	-	-	-
8	100R3 100R8	O-Ring - 2-5/8" I.D. x 3" O.D. O-Ring - 3-1/8" I.D. x 3-1/2" O.D.	1 1	1 1	1 1	1 1
9	30HP11 30HP12 35HP8	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length Head Plate - 1-3/4" Shaft w/Wear Ring Groove - 3" Under Head Length Head Plate - 1-3/4" Shaft w/Wear Ring Groove - 3" Under Head Length	1 - -	- 1 -	- - 1	- - 1
10	10WR1 10WR2	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide Head Plate Wear Ring - 1-3/4" I.D. x 2" O.D. x 1" Wide	1 -	1 -	1 -	1 -
11	10RS1 10RS3	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal - 1-3/4" I.D. x 2-1/8" O.D. x 3/8"	1 1	1 1	1 1	1 1
12	10WR1 10WR2	Wiper Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal - 1-3/4" I.D. x 2-1/8" O.D. x 3/16"	1 -	1 -	1 -	1 -
13	10GN1	1/4" - 28 Grease Fitting	2	2	2	2


Refer to Illustrations on page 38 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - Model 2100-2130
N6 TYPE (W/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO# from 41251 to 43155)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			285
1	30TU28	Tube Assembly - 3" x 18" - w/oil Line Port & 1-1/2" O.D. Cross Tube	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 38 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - Model 2100-2130
N6 TYPE (W/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO. From 43156 to 45146)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			315
1	30TU35	Tube Assembly - 3" x 18" - w/oil line & 1-3/4" O.D. Cross tube	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP14	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 38 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - Model 2100-2130
N6 TYPE (W/90 DEGREE PORT)
(FOR MODELS WITH SERIAL NO# 45147 & UP)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			310
1	30TU36	Tube Assembly - 3" x 18" - w/90 deg. Port & 1-3/4" O.D. Cross Tube	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP14	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 38 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - Model 2105-2135
N6 TYPE (w/Oil Line Port)
(FOR MODEL 2105 AFTER SERIAL NO. 40135)
(FOR MODEL 2135 FROM SERIAL NOS. 40135 TO 47586)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE	
			287	288
1	30TU29 30TU30	Tube Assembly - 3" x 20-3/4" (2105) Tube Assembly - 3" x 20-3/4" (2135)	1	1
2	10SH43	Shaft - 1-1/2" x 24-1/2" Shaft	1	1
3	10OR21	O-Ring - 1" I.D. x 1-1/3" O.D.	1	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	1	1
5	30PB2	Piston Block - 3"	2	2
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1	1
7	10NU4	1" N.F. Locking Nut	1	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1	1
9	30HP11	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length	1	1
10	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1	1
11	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1	1
13	10GN1	1/4" - 28 Grease Fitting	2	2

Refer to illustrations on page 38 to help determine cylinder type.




HYDRAULIC BUCKET CYLINDER - Model 2135
N6 TYPE (w/90 Degree Port)
(FOR MODELS WITH SERIAL NOS. 47587 AND UP)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE	
			323	
1	30TU37	Tube Assembly - 3" x 20-3/4" (2135)	1	
2	10SH43	Shaft - 1-1/2" x 24-1/2" Shaft	1	
3	10OR21	O-Ring - 1" I.D. x 1-1/3" O.D.	1	
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2	
5	30PB2	Piston Block - 3"	1	
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1	
7	10NU4	1" N.F. Locking Nut	1	
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1	
9	30HP11	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length	1	
10	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1	
11	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1	
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1	
13	10GN1	1/4" - 28 Grease Fitting	2	

Refer to illustrations on page 38 to help determine cylinder type.

EZEE-ON CYLINDER REPAIR SEAL KIT CODES



CYLINDER SEAL KITS

KIT NO.	CONTENTS			FITS CYLINDER CODE NO.
3015HR-N4-P	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	272
	1 -	10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	273
	1 -	10WR1	1-1/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal	274
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	275
	1 -	10WR1	1-1/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	
	1 -	10OR27	2-5/8" I.D. x 3" O.D. O-Ring - 90 Durometer	
	1 -	10OR21	1" I.D. x 1-1/8" O.D. O-Ring	
	1 -	10OR9	3/4" I.D. x 1" O.D. O-Ring	
3017HR-N4-P	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	276
	1 -	10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" Rod Seal	
	1 -	10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" Wiper Seal	
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	
	1 -	10WR2	1-3/4" I.D. x 2" O.D. x 1" Wear Ring	
	1 -	10OR27	2-5/8" I.D. x 3" O.D. O-Ring - 90 Durometer	
	1 -	10OR21	1" I.D. x 1-1/8" O.D. O-Ring	
3517HR-N4-P	2 -	35CU2	3" I.D. x 3-1/2" O.D. x 3/8" U-Cup	277 278
	1 -	10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" Rod Seal	
	1 -	10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" Wiper Seal	
	1 -	35WR1	3-1/4" I.D. x 3-1/2" O.D. x 3/8" Wear Ring	
	1 -	10WR2	1-3/4" I.D. x 2" O.D. x 1" Wear Ring	
	1 -	10OR24	3-1/8" I.D. x 3-1/2" O.D. O-Ring - 90 Durometer	
	1 -	10OR21	1" I.D. x 1-1/8" O.D. O-Ring	

CYLINDER SEAL KITS CONTINUED:

KIT NO.	CONTENTS		FITS CYLINDER CODE NO.
3015HR-N6	2 - 30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	285
	1 - 10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	286
	1 - 10WS1	1-1/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal	287
	1 - 30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	288
	1 - 10WR1	1-1/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	310
	1 - 10OR3	2-5/8" I.D. x 3" O.D. O-Ring	323
	1 - 10OR21	1" I.D. x 1-1/8" O.D. O-Ring	
	1 - 10OR9	3/4" I.D. x 1" O.D. O-Ring	
3017HR-N6	2 - 30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	289
	1 - 10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" Rod Seal	
	1 - 10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" Wiper Seal	
	1 - 30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	
	1 - 10WR2	1-3/4" I.D. x 2" O.D. x 1" Wear Ring	
	1 - 10OR3	2-5/8" I.D. x 3" O.D. O-Ring	
	1 - 10OR21	1" I.D. x 1-1/8" O.D. O-Ring	
3517HR-N6	2 - 35CU2	3" I.D. x 3-1/2" O.D. x 3/8" U-Cup	290 291
	1 - 10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" Rod Seal	
	1 - 10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" Wiper Seal	
	1 - 35WR1	3-1/4" I.D. x 3-1/2" O.D. x 3/8" Wear Ring	
	1 - 10WR2	1-3/4" I.D. x 2" O.D. x 1" Wear Ring	
	1 - 10OR8	3-1/8" I.D. x 3-1/2" O.D. O-Ring	
	1 - 10OR21	1" I.D. x 1-1/8" O.D. O-Ring	

HEAD TYPE IDENTIFICATION

